

Categorie A: Marktwaardige Houtsoorten

Lokale Naam	Wetenschappelijke Naam	Familienaam
Agrobigi (sr)	<i>Parkia nitida</i>	Mimosaceae
Ayawatingimoni (sr)	<i>Trattinickia burserifolia</i>	Burseraceae
Aprakwari (sr), appelkwari (sn)	<i>Vochysia densiflora</i>	Vochysiaceae
Basraloksi (sr), basralokus (sn)	<i>Dicorynia guianensis</i>	Caesalpiniaceae
Berggronfolo (sr), berg gronfolo (sn)	<i>Qualea rosea</i>	Vochysiaceae
Bergimanbarklak (sr), bergmanbarklak (sn)	<i>Eschweilera pedicellata</i> (was: <i>E. longipes</i>)	Lecythidaceae
Bergi-manletr'udu (sr), berg manletter (sn)	Diverse geslachten en soorten	Moraceae
Broin-ati (sr), bruinhart (sn)	<i>Vouacapoua americana</i>	Caesalpiniaceae
Sedre (sr), ceder (sn)	<i>Cedrela odorata</i>	Meliaceae
Dyadidya (sr)	<i>Sclerolobium melinonii</i>	Caesalpiniaceae
Gindya-udu (sr)	<i>Buchenavia tetraphylla</i> (was: <i>B. capitata</i>)	Combretaceae
Donsedre (sr)	<i>Cedrelinga cateniformis</i>	Mimosaceae
Gerikabisi (sr), gele kabbes (sn)	<i>Vatairea guianensis</i>	Fabaceae
Gevlamde bostamarinde (sn)	<i>Zygia racemosa</i> (was: <i>Marmaroxylon racemosum</i> , <i>Pithecellobium racemosum</i>)	Mimosaceae
Gubaya (sr)	<i>Jacaranda copaia</i>	Bignoniaceae
Guyabakwari (sr)	<i>Qualea dinizii</i>	Vochysiaceae
Grin-ati (sr), groenhart (sn)	<i>Tabebuia serratifolia</i>	Bignoniaceae
Grootbladige rode kabbes (sn)	<i>Andira</i> spp.	Fabaceae
Grootbladige zwarte pisi (sn)	<i>Rhodostemonodaphne grandis</i> (was: <i>Nectandra grandis</i>), <i>Ocotea glomerata</i>	Lauraceae
Harde bast pisi (sn)	<i>Ocotea schomburgkiana</i>	Lauraceae
Hoogbos tingimonisali (sn)	<i>Tetragastris</i> spp.	Burseraceae
(h)eigron-babun (sr), hoogland baboen (sn)	<i>Virola melinonii</i> , <i>Virola sebifera</i>	Myristicaceae
(h)eigron-gronfolo (sr), hoogland gronfolo (sn)	<i>Ruizterania albiflora</i> (was: <i>Qualea albiflora</i>)	Vochysiaceae
(h)eigron-manbarklak(I) (sr), hoogland manbarklak (sn)	<i>Eschweilera coriacea</i> (was: <i>E. odora</i>)	Lecythidaceae
Hoogland manbarklak gele bast (sn)	<i>Lecythis idatimon</i> (was: <i>Eschweilera amara</i>)	Lecythidaceae
Hoogland manbarklak witte bast (sn)	<i>Eschweilera</i> sp.	Lecythidaceae
(h)eigron-pakuli (sr), hoogland pakoeli (sn)	<i>Rheedia</i> spp.	Clusiaceae
Ingipipa (sr)	<i>Couratari</i> spp.	Lecythidaceae
Isri-ati (sr), ijzerhart (sn)	<i>B60</i> spp	Caesalpiniaceae
Jongo kabbes (sn), dyongokabisi (sr)	<i>Vataireopsis speciosa</i>	Fabaceae
Kanerpisi (sr), kaneel pisi (sn)	<i>Licaria</i> spp.	Lauraceae
Kaner'ati (sr), kaneelhart (sn)	<i>Licaria</i> spp.	Lauraceae
Kankantri (sr)	<i>Ceiba pentandra</i>	Bombacaceae
Katun-udu (sr)	<i>Lueheopsis rugosa</i> , <i>L. flavescens</i>	Tiliaceae
Kleinbladige kromantikopi (sn)	<i>Agonandra silvatica</i>	Opiliaceae
Kleinbladige rode kabbes (sn)	<i>Andira</i> spp.	Fabaceae

Lokale Naam	Wetenschappelijke Naam	Familienaam
Kleinbladige walaba (sn)	<i>Eperua grandiflora</i>	Caesalpiniaceae
Kleinbladige zwarte pisi (sn)	<i>Nectandra</i> sp., <i>Ocotea floribunda</i> (was: <i>O. wachenheimii</i>)	Lauraceae
Kunatapi (sr)	<i>Platymiscium trinitatis</i> , <i>P. ulei</i>	Fabaceae
Kopi (sr)	<i>Goupia glabra</i>	Celastraceae
Kromantikopi (sr)	<i>Aspidosperma</i> spp.	Apocynaceae
Kwatakama (sr)	<i>Parkia ulei</i> , <i>Parkia pendula</i>	Mimosaceae
Kwatapatu (sr)	<i>Lecythis zabucajo</i> (was: <i>L. davisii</i>)	Lecythidaceae
Laagland baboen (sn)	<i>Virola surinamensis</i>	Myristicaceae
Laagland gronfolo (sn)	<i>Qualea</i> spp.	Vochysiaceae
Letr'udu (sr), letterhout (sn)	<i>Brosimum</i> spp. (was: <i>Piratinera</i> spp.)	Moraceae
Makagrín (sr)	<i>Tabebuia capitata</i>	Bignoniaceae
Makakabisi (sr)	<i>Hymenolobium flavum</i>	Fabaceae
Man-grín-ati (sr), man groenhart (sn)	<i>Tabebuia</i> spp.	Bignoniaceae
Manbarklak (sr)	<i>Eschweilera</i> spp.	Lecythidaceae
Manletr'udu (sr), man letter (sn)	<i>Perebea</i> spp., <i>Helicostylis</i> spp.	Moraceae
Man-popo-ati (sr), man purperhart (sn)	<i>Peltogyne</i> spp.	Caesalpiniaceae
Mawsikwari (sr)	<i>Erismia uncinatum</i>	Vochysiaceae
Melisali (sr)	<i>Trichilia</i> spp.	Meliaceae
Mora (sr)	<i>Mora excelsa</i>	Caesalpiniaceae
Morabukeya (sr)	<i>Mora gonggrijpii</i>	Caesalpiniaceae
Morototo (sr)	<i>Schefflera decaphylla</i> (was: <i>S. paraënsis</i>)	Araliaceae
Okro-udu (sr), okerhout (sn)	<i>Sterculia pruriëns</i>	Sterculiaceae
Pakuli (sr)	<i>Platonia insignis</i> , <i>Rheedia</i> spp.	Clusiaceae
Pata(ku)wana (sr)	<i>Chaunochiton kappleri</i>	Olacaceae
Pegrekupisi (sr)	<i>Xylopia</i> spp.	Annonaceae
Posentri (sr), possum (sn)	<i>Hura crepitans</i>	Euphorbiaceae
Prityari-udu (sr)	<i>Zanthoxylum pentandrum</i> (was: <i>Fagara pentandra</i>)	Rutaceae
Popo-ati(sr), purperhart (sn)	<i>Peltogyne pubescens</i> , <i>P. venosa</i>	Caesalpiniaceae
Rode bast tingimoni (sn)	<i>Protium polybotryum</i>	Burseraceae
Redikabisis (sr), rode kabbes (sn)	<i>Andira coriacea</i> , <i>A. inermis</i> , <i>A. surinamensis</i> , <i>A. villosa</i>	Fabaceae
Redikrapa (sr), rode krapa (sn)	<i>Carapa guianensis</i>	Meliaceae
Rediloksi (sr), rode lokus (sn)	<i>Hymenaea courbaril</i>	Caesalpiniaceae
Rode prokoni (sn)	<i>Inga alba</i>	Mimosaceae
Redisali (sr), rode sali (sn)	<i>Tetragastris altissima</i>	Burseraceae
Sali (sr)	<i>Tetragastris</i> spp., <i>Protium</i> spp.	Burseraceae
Satèn-udu (sr), satijnhout (sn)	<i>Brosimum rubescens</i> (was: <i>B. paraënsis</i>)	Moraceae
Snek'udu (sr), slangenhout	<i>Loxopterygium sagotii</i>	Anacardiaceae
Sumaruba (sr)	<i>Simarouba amara</i>	Simaroubaceae
Tamarenprokoni (sr)	<i>Balizia pedicellaris</i> (was: <i>Pithecellobium pedicellare</i>), <i>Enterolobium schomburgkii</i>	Mimosaceae
Tingimoni (sr)	<i>Protium</i> spp., <i>Trattinickia</i> spp.	Burseraceae
Tingimonisali (sr)	<i>Tetragastris hostmannii</i> , <i>T. panamensis</i>	Burseraceae
Waikarapisi (sr)	<i>Aniba hostmanniana</i>	Lauraceae
Walaba (sr)	<i>Eperua</i> spp.	Caesalpiniaceae
Wana (sr)	<i>Ocotea rubra</i>	Lauraceae

Lokale Naam	Wetenschappelijke Naam	Familienaam
Wanakwari (sr)	<i>Vochysia tomentosa</i>	Vochysiaceae
Wanapisi (sr)	<i>Ocotea splendens</i> (was: <i>O. globifera</i>)	Lauraceae
Wiswiskwari (sr)	<i>Vochysia guianensis</i>	Vochysiaceae
Weti-lo-udu (sr), wit riemhout (sn)	<i>Micropholis guyanensis</i>	Sapotaceae
Wetikrapa (sr), witte krapa (sn)	<i>Carapa procera</i>	Meliaceae
Weti-pintoloksi (sr), witte pintolokus (sn), (bosmahoni)	(<i>Martiodendron parviflorum</i> (was: <i>Martusia parviflora</i>)	Caesalpiniaceae
Zwarte kabbes (sn), blakakabisi(sr)	<i>Diploptropis purpurea</i>	Fabaceae
Zwarte pintolokus (sn), bosknipa (sn), blakapintoloksi (sr), busiknepa (sr)	<i>Talisia pedicellaris</i>	Sapindaceae
Zwarte pisi (sn), blakapisi (sr)	<i>Ocotea glomerata, Nectandra grandis</i>	Lauraceae
Zwart riemhout (sn), blaka-lo-usu (sr)	<i>Micropholis guyianensis, Pouteria engleri</i>	Sapotaceae

Catagorie C: Houtsoorten waarvan de velling verboden is

Lokale Naam	Wetenschappelijke Naam	Familienaam
Bortri (sr), bolletrie (sn)	<i>Manilkara bidentata</i>	Sapotaceae
Upru-udu (sr), hoepelhout (sn)	<i>Copaifera guianensis</i>	Caesalpiniaceae
Inginoto (sr)	<i>Bertholletia exclesa</i>	Lecythidaceae
Manrowsudu (sr), man rozenhout (sn)	<i>Aniba mas</i>	Lauraceae
Rowsudu (sr), rozenhout (sn)	<i>Aniba rosaeodora</i>	Lauraceae
Sawari(ното) (sr)	<i>Caryocar nuciferum</i>	Caryocaraceae
Tonka (sr)	<i>Dipteryx odorata, D. punctata</i>	Fabaceae

sr - sranan tongo /

sn - surinaams nederlands